




PRODUCT SHEET
M-WALK TECHNICAL STAIRCASE

INDEX

INTRODUCTION	3
ADVANTAGES	3
STANDARDS	3
DIMENSIONS	3
FIXINGS	4

INTRODUCTION

The **M-WALK** technical staircase offers a versatile and adaptable solution for safe access in industrial or technical environments.

Designed with resistant materials, it is easy to assemble and adapts to multiple configurations.

ADVANTAGES

- **Custom length** according to client requirements.
- **Anti-slip steps** that ensure maximum safety.
- **Adjustable inclination angle from 20° to 47.5°**, using screws and rivets.
- **Compatible with the M-SAFE guardrail system.**
- **Adaptable** to all types of floors and structures.

A single structure, multiple solutions. Ideal for technical access where safety and adaptability are essential.

STANDARDS

Complies with standards NF E 85-016:2022 and EN 14122-2:2017.

DIMENSIONS

Standard length 3,010 mm, possibility of unlimited extensions.




Width	Weigth (kg/ml)	Material
600 mm	16,3	6063-T5
800 mm	18,2	6063-T5

M-WALK ladder profile:




FIXINGS


WALL FIXING




STEEL DECK FIXING



ASBESTOS FIXING



KALZYP FIXING



TILE FIXING

